



V-top Surgery Table



The most **functional** veterinary surgery table in the world!

Clean and **modern** design.

Very **stable** and rigid construction.

Made from stainless steel with an **innovative** electropolishing treatment.

- This is the most ergonomic and functional veterinary surgery table on the market. In addition, this table can be regulated to the **maximum height up to 115 cm**. It's the highest and most stable surgery table on the market.



- The top **V-plates** of the surgery table are separately adjusted by motors which helps to position the patient during procedures.
- The 4 motors of the surgery table guarantee **maximum ergonomomy** and multi-functionality.
- There is a **pull-out basin** for draining fluids in the centre of the table.



- There are rails under the edges of the work surface for **mounting accessories**.



- EQUA V-top table strong structure guarantees **maximum stability** even on the highest position of the table.
- The **stainless steel surface** has undergone innovative chemical treatment which makes it easy to clean. This treatment makes stainless steel surface as **anti-bacterial** as possible.


■ It is possible to install a 40 cm **V-top extension** for the table for treatment of larger animals.

■ **Centrally lockable castors** makes it easy to move the table if needed for procedures, cleaning or transfer.



■ The V-top plates **warming** is available as an accessory. Unique heat distributing system with low power infrared heaters keeps the plates safely warm without any cold or hot spots.

■ All functions of the table is operated by **wireless foot pedal**. The pedal can be positioned everywhere around or on the table and there is no wire to step or stumble on. Less wires makes the working environment safer!



■ EQUA V-top table has been developed in cooperation with educational institutions, specialists from veterinary clinics and engineers from EQUA.

Product Information

- Table top dimensions 1200x600 mm
- Removable drainage system
- Adjustable height 585-1150 mm
- Weight 85 kg
- Motors 4 pcs, 24V
- Electrical outlets for accessories 3 pcs
- Tilting 0-21 degrees
- V-top angle adjustments 0-45 degrees
- Stainless steel frame and V-top plates
- Max load 150 kg
- 4 castors with central breaking system
- 2 stainless steel EURO side rails

Extras

- V-top extension 40 cm
- Side table with positioning arm
- Table top warming 37 degrees. ON/OFF option
- Quick-release, cam cleat tie-down attachment

